

PLAN VIEW

BEAM, FRAME & GRATE REMOVED FOR CLARITY



PLAN VIEW

DEETER 2095 OR EJ 7392
FRAME & GRATE



REINFORCING DETAIL

TYP. ALL OPENINGS
(4) - #4 BARS X (BO + 8")



BEAM PROFILE VIEW



PROFILE VIEW

SIDE 'D' (270°)



PROFILE VIEW

SIDE 'C' (180°)

McPHERSON CONCRETE COMPANIES

2023 MCC INTELLECTUAL PROPERTY NOTICE:

This drawing is the sole property of McPherson Concrete Companies. It is loaned to the recipient for his/her confidential use only; and in consideration of the loan of this drawing, the recipient agrees that this drawing shall not be reproduced, copied, loaned, nor used for any purpose other than for which it is specifically intended without the express consent of McPherson Concrete Companies.

DESIGN INFORMATION:

- *F'c = 4,000 PSI*
- *Fy = 60,000 PSI*

STRUCTURE WEIGHTS:

TOP = XX,XXX lbs
R1 = XX,XXX lbs
BR = XX,XXX lbs

LIFTING INFORMATION

F'c = 1,200 PSI
MIN CHOKER LENGTH = 10'-0"

NOTE: ALL INLETS EXCEEDING 20,000 LBS REQUIRE ALTERNATIVE LIFTING

Rev.	Date	Desc.
----	----	----
----	----	----

Job #	Project:	Client:	Drawn By:	Date:	Structure Type:	Structure ID:	Station Number:
	MCC Standard Drawing		CEH	7/28/23	Driveway Inlet Double		