

PLAN VIEW
TOP REMOVED FOR CLARITY



PLAN VIEW
TOP ONLY

STEP NOTES:
- IF (H) IS LESS THAN 6' TALL - NO STEPS REQUIRED
- IF (H) IS GREATER THAN 6' - 4 STEPS REQUIRED
- ADD 1 STEP FOR EACH 12" ABOVE 6'.



PLAN VIEW
SHALLOW TOP



REINFORCING DETAIL
TYP. ALL OPENINGS UNO



PROFILE VIEW
SIDE 'D'



PROFILE VIEW
SIDE 'C'



PROFILE VIEW
SHALLOW RCMH



McPHERSON CONCRETE COMPANIES

2023 MCC INTELLECTUAL PROPERTY NOTICE:

This drawing is the sole property of McPherson Concrete Companies. It is loaned to the recipient for his/her confidential use only; and in consideration of the loan of this drawing, the recipient agrees that this drawing shall not be reproduced, copied, loaned, nor used for any purpose other than for which it is specifically intended without the express consent of McPherson Concrete Companies.

DESIGN INFORMATION:
- *F'c = 4,000 PSI*
- *Fy = 60,000 PSI*

STRUCTURE WEIGHTS:
TOP: VARIES
BR: VARIES
RISER: VARIES

LIFTING INFORMATION
F'c = 1,200 PSI
MIN CHOKER LENGTH = 10'-0"

Rev.	Date	Desc.
----	----	----
----	----	----

Job #	Project:	Client:	Drawn By:	Date:	Structure Type:	Structure ID:	Station Number:
-	MCC STANDARD DETAIL	-	AJH	7/26/23	KDOT RCMH (ECC)	-	-