

PLAN VIEW
REINF. & TOP REMOVED

STEP NOTES:
- IF (H) IS LESS THAN 6' TALL - NO STEPS REQUIRED
- IF (H) IS GREATER THAN 6' - 4 STEPS REQUIRED
- ADD 1 STEP FOR EACH 12" ABOVE 6'.



PLAN VIEW
TOP ONLY

TYPE A LENGTHS & HARDWARE:

- A2.5	L = 3'-6"	USES (1) CURB CASTING
- A5	L = 6'-0"	USES (2) CURB CASTINGS
- A7.5	L = 8'-6"	USES (3) CURB CASTINGS
- A10	L = 11'-0"	USES (4) CURB CASTINGS
- A15	L = 16'-0"	USES (6) CURB CASTINGS



CASTING DETAIL
DEETER 2080 CURB & GUTTER ASSY.
PLAN & PROFILE VIEWS



REINFORCING DETAIL
TYP. ALL OPENINGS UNO
(4) - #4 BARS X (BO + 8")



L4 BAR

	#4 BARS	
A1 BARS	(W - 4")	2 EA
A2 BARS	(W - 1'-0")	6 EA
A3 BARS	(W - 3'-2 3/4")	2EA
A4 BARS	(W - 3'-6 3/8")	2EA





PROFILE VIEW
SIDE 'D' (270°)



PROFILE VIEW
SIDE 'C' (180°)

McPHERSON CONCRETE COMPANIES

2023 MCC INTELLECTUAL PROPERTY NOTICE:

This drawing is the sole property of McPherson Concrete Companies. It is loaned to the recipient for his/her confidential use only; and in consideration of the loan of this drawing, the recipient agrees that this drawing shall not be reproduced, copied, loaned, nor used for any purpose other than for which it is specifically intended without the express consent of McPherson Concrete Companies.

DESIGN INFORMATION:
- F'c = 4,000 PSI
- Fy = 60,000 PSI

STRUCTURE WEIGHTS:
TOP = XX,XXX lbs
R1 = XX,XXX lbs
BR = XX,XXX lbs

LIFTING INFORMATION
F'c = 1,200 PSI
MIN CHOKER LENGTH = 10'-0"

Rev.	Date	Desc.
----	----	----
----	----	----

Job #	Project:	Client:	Drawn By:	Date:	Structure Type:	Structure ID:	Station Number:
-	MCC STANDARD DETAIL	-	AJH	10/10/23	TYPE A5 CURB INLET	-	-